



Acústica Integral

Soundproofing

We make your silence

Acoustic Doors & Windows

Close the door & enjoy silence !!!



www.acusticaintegral.com



Acoustic Metallic Doors - 37 to 54 dB.



www.acusticaintegral.com



Large dimensions acoustic and fire rated doors



Special acoustic doors



Glazed sliding acoustic doors



Imitation wood finish



Doors with integrated ventilation louvers

Accessories



Visible key-lock



Double doors with unequal leaves



Push bar

Acoustic windows



RS ACOUSTIC DOORS

Official certificates

The acoustic doors of **Acústica Integral** have been successfully tested for obtaining the certificates of acoustic insulation and fire resistance by official laboratories of recognized prestige.



Self manufacturing

The manufacture of acoustic door is carried out using the latest systems to ensure the whole process in compliance with the stricter requirements and the final quality of the finished product. Wide range of standard models with the possibility to integrate special accessories.

With guarantee of "Acústica Integral".



Standard dimensions:

Models	Description	Rw	Fire resistance	Thermal transmittance	Lower threshold
RS10	Professional	54 dB	No	1,46 W/m ² K	90 mm.
RS3	Compact & robust	51 dB	No	1,89 W/m ² K	70 mm.
RS2F	Acoustic-Fire resistant	45 dB	EI ₂ 90	1,84 W/m ² K	No
RS4	Without lower threshold	42 dB	No	1,89 W/m ² K	No
RS5	Best quality/price.	46 dB	No	1,93 W/m ² K	60 mm.
RS5F	Fire resistant	46 dB	One leaf: EI ₂ 90	1,84 W/m ² K	No
			Double leaf: EI ₂ 60		
RS6	Best quality/price.	38 dB	No	1,93 W/m ² K	No
		47 dB			16 mm.
RS-EL (CM)	Elegance	43 dB	No	1,86 W/m ² K	No
	Magnetic lock	48 dB			16 mm.
RS-EL (CR)	Frame & sheet fully integrated and made flush.	44 dB	No	1,86 W/m ² K	No
		51 dB			16 mm.
RS-R	Sliding acoustic door	37 dB	No	----	No

Large dimensions:


Models	Description	Rw	Fire resistance	Thermal transmittance	Lower threshold
RS3-XL	Large dimensions	54 dB	No	1,46 W/m ² K	90 mm.
RS5F-XL	Fire resistant	51 dB	EI ₂ 90	1,89 W/m ² K	70 mm.
RS-HA	Sectional	31 & 44	No	1,84 W/m ² K	No




Acústica Integral

Soundproofing

Polígono Industrial Santiga
Av. Castell de Barberà, 10
08210 - Barberà del Vallès
Barcelona

 **+34 937 346 564**

International  international@acusticaintegral.com

 www.acusticaintegral.com



We make your silence

